

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

#### SECTION 1: IDENTIFICATION

1.1. Product Identifier

**Product Form:** Mixture

Product Name: Acrylic Gel Black

1.2. Intended Use of the Product
Use of the Substance/Mixture: Waterproofing.

1.3. Name, Address, and Telephone of the Responsible Party

Company

Metacrylics 365 Obata Ct. Gilroy, CA 95020 408-280-7733

www.metacrylics.com

1.4. Emergency Telephone Number

Transportation: CHEMTEL Tel. 800-255-3924, +1 813-248-0585 (International)

Medical: CHEMTEL Tel. 800-255-3924, +1 813-248-0585 (International)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the Substance or Mixture

#### **GHS-US Classification**

Skin Sens. 1 H317 Aquatic Acute 3 H402 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

2.2. Label

**Elements GHS-US** 

Labeling

Hazard Pictograms (GHS-US) :

Signal Word (GHS-US) : Warning

**Hazard Statements (GHS-US)** : H302 – Harmful if swallowed. H315 – Causes skin irritation.

H318 – Causes serious eye irritation.

**Precautionary Statements (GHS-US)** : P264 – Wash exposed skin thoroughly after handling

P280 – Wear protective gloves, eye protection P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 – If in eyes; rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P332+P337+P313 – If skin or eye irritation occurs' get medical advice

attention

## 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

#### 3.2. Mixture

OIL MIXEU			
Name	Product Identifier	%	GHS-US classification
Water	(CAS-No.) 7732-18-5	15-40	Not classified



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

Limestone	(CAS-No.) 1317-65-3	40-70	Not classified
Cellulose, 2-hydroxyethyl ether	(CAS-No.) 9004-62-0	1-5	Comb. Dust
Proprietary Ingredient #1	(CAS-No.) Trade Secret	≤20ppm	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Skin sensitization.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## **SECTION 5: FIRE-FIGHTING MEASURES**

#### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

## 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Calcium oxide. Hydrocarbons. **Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

Emergency Procedures: Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. **Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids, strong Gels, strong oxidizers. Metal salts.

#### 7.3. Specific End Use(s)

Waterproofing.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Limestone (1317-65-3)		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³ (total dust)
		5 mg/m³ (respirable dust)
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust)
		5 mg/m³ (respirable fraction)

### 8.2. Exposure Controls

**Appropriate Engineering Controls** 

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment** 

: Gloves. Protective clothing. Protective goggles.



**Materials for Protective Clothing** 

**Hand Protection** 

Eye and Face Protection Skin and Body Protection Respiratory Protection : Chemically resistant materials and fabrics.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017

Other Information : When using, do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Information on Basic Physical and Chemical Properties** 

**Physical State** : Liquid : Black **Appearance** Odor : None

**Odor Threshold** : No data available

: 8-9.5

**Evaporation Rate** : No data available **Melting Point** : Not applicable **Freezing Point** : No data available **Boiling Point** : 100 °C (212 °F) **Flash Point** : Not applicable **Auto-ignition Temperature** : Not applicable **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available **Vapor Pressure** : No data available : No data available Relative Vapor Density at 20°C **Relative Density** : No data available Density : 11.9 lbs/gal Solubility : No data available Partition Coefficient: N-Octanol/Water : No data available : No data available Viscosity

VOC : 27 g/L 9.2. Other Information No additional information available

#### **SECTION 10: STABILITY AND REACTIVITY**

- **Reactivity:** Hazardous reactions will not occur under normal conditions. 10.1.
- 10.2. **Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. 10.4.
- 10.5. **Incompatible Materials:** Strong acids, strong Gels, strong oxidizers. Metal salts.
- Hazardous Decomposition Products: Carbon oxides (CO, CO<sub>2</sub>). Hydrocarbons. 10.6.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. **Information on Toxicological Effects**

Acute Toxicity: Not classified

oprietary Ingredient #1	
LD50 Oral Rat	53 mg/kg
ATE (Dermal)	300.00 mg/kg body weight
ATE (Dust/Mist)	0.50 mg/l/4h

Skin Corrosion/Irritation: Not classified

pH: 8 - 9.5

Serious Eye Damage/Irritation: Not classified

**pH:** 8 - 9.5

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None expected under normal conditions of use.

### **SECTION 12: ECOLOGICAL INFORMATION**

404	_		
12.1.	Tox	/1/11	٠.,
14.1.	10/		·v

**Ecology - General** : Harmful to aquatic life with long lasting effects.

Persistence and Degradability

**BLACK Acrylic Gel** 

**Persistence and Degradability**May cause long-term adverse effects in the environment.

### 12.2. Bioaccumulative Potential

**BLACK Acrylic Gel** 

Bioaccumulative Potential Not established.

12.3. Mobility in Soil No additional information available

12.4. Other Adverse Effects

**Other Information** : Avoid release to the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and

international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out

of sewers and waterways.

## **SECTION 14: TRANSPORT INFORMATION**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary Geld on a number of variables that may or may not have been known at the time the SDS was issued.

**14.1.** In Accordance with DOT Not regulated for transport

**14.2.** In Accordance with IMDG Not regulated for transport

**14.3.** In Accordance with IATA Not regulated for transport

### **SECTION 15: REGULATORY INFORMATION**

## 15.1. US Federal Regulations

BLACK Acrylic Gel		
SARA Section 311/312 Hazard Classes	2 Hazard Classes Immediate (acute) health hazard	
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Limestone (1317-65-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Cellulose, 2-hydroxyethyl ether (9004-62-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the	
	Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA	
	Inventory Data Gel Production and Site Reports (40 CFR 710(C)).	

### 15.2. US State Regulations



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

## Limestone (1317-65-3)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** 

: 08/18/2017

**Other Information** 

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

## GHS Full Text Phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3	
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Skin Corr. 1B	Skin corrosion/irritation Category 1B	
Skin Sens. 1	Skin sensitization, Category 1	
H301	Toxic if swallowed	
H311	Toxic in contact with skin	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H331	Toxic if inhaled	
H400	Very toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

This information is Geld on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)