

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

# **SECTION 1: IDENTIFICATION**

1.1. **Product Identifier** 

**Product Form:** Mixture

**Product Name:** Metacrylics Extreme Weather Acrylic White

#### Intended Use of the Product 1.2.

Use of the Substance/Mixture: Waterproofing

#### 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Metacrylics 365 Obata Ct. Gilroy, CA 95020 408-280-7733

#### www.metacrylics.com

#### **Emergency Telephone Number** 1.4.

Transportation: CHEMTEL Tel. 800-255-3924, +1 813-248-0585 (International) Medical: CHEMTEL Tel. 800-255-3924, +1 813-248-0585 (International)

# **SECTION 2: HAZARDS IDENTIFICATION**

# Classification of the Substance or Mixture

2.1. Classification of th	he Substance or Mixture
<b>GHS-US Classification</b>	
Skin Sens. 1	H317
Aquatic Acute 2	H401
Aquatic Chronic 2	H411
Full text of hazard classes and	d H-statements : see section 16
2.2. Label	
Elements GHS-US	
Labeling	
Hazard Pictograms	
(GHS-US)	
Signal Word (GHS-US)	: Warning
Hazard Statements (GHS-US	5) : H317 - May cause an allergic skin reaction.
	H401 - Toxic to aquatic life.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statements (	
	P272 - Contaminated work clothing must not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves, protective clothing, and eye protection.
	P302+P352 - If on skin: Wash with plenty of water.
	P321 - Specific treatment (see section 4 on this SDS).
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
	P391 - Collect spillage.
	P501 - Dispose of contents/container in accordance with local, regional, national,
	and international.
2.3. Other Hazards	

#### Other Hazards 2.3.

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. **Unknown Acute Toxicity (GHS-US)** 

No data available

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance** 3.1.

## Not applicable



#### Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

# 3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Limestone	(CAS-No.) 1317-65-3	15-40	Not classified
Water	(CAS-No.) 7732-18-5	15-40	Not classified
Acrylic polymer	(CAS-No.) Not available	15-40	Not classified
Titanium dioxide	(CAS-No.) 13463-67-7	5-10	Carc. 2, H351
Proprietary Ingredient #1	(CAS-No.) Trade Secret	≤20 ppm	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

# **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

## 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Skin sensitization.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

## 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: FIRE-FIGHTING MEASURES

## 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire. Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

## 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

## 5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Hydrocarbons. Calcium oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing.

## 6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

#### **Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

## 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. **Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

## 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Fluorine. Metal salts. Strong acids, strong bases, strong oxidizers.

## 7.3. Specific End Use(s)

Waterproofing

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

317-65-3)		
NIOSH REL (TWA) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust)	
	5 mg/m <sup>3</sup> (respirable dust)	
OSHA PEL (TWA) (mg/m³)	15 mg/m <sup>3</sup> (total dust)	
	5 mg/m <sup>3</sup> (respirable fraction)	
xide (13463-67-7)		
ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
US IDLH (mg/m <sup>3</sup> )	5000 mg/m <sup>3</sup>	
OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust)	
	NIOSH REL (TWA) (mg/m <sup>3</sup> ) OSHA PEL (TWA) (mg/m <sup>3</sup> ) <b>kide (13463-67-7)</b> ACGIH TWA (mg/m <sup>3</sup> ) ACGIH chemical category US IDLH (mg/m <sup>3</sup> )	NIOSH REL (TWA) (mg/m³)10 mg/m³ (total dust) 5 mg/m³ (respirable dust)OSHA PEL (TWA) (mg/m³)15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)cide (13463-67-7)ACGIH TWA (mg/m³)10 mg/m³ACGIH chemical categoryNot Classifiable as a Human CarcinogenUS IDLH (mg/m³)5000 mg/m³

#### 8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the<br/>immediate vicinity of any potential exposure. Ensure adequate ventilation,<br/>especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.



Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0



- Materials for Protective Clothing Hand Protection Eye and Face Protection Skin and Body Protection Respiratory Protection
- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information** 

# : When using, do not eat, drink or smoke.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

SECTION 5. PHISICAL AND CHLIVIICAL PROPE		
9.1. Information on Basic Physical and Chemical Properties		
Physical State	: Liquid	
Appearance	: White	
Odor	: None	
Odor Threshold	: No data available	
рН	: 8-9.5	
Evaporation Rate	: No data available	
Melting Point	: Not applicable	
Freezing Point	: No data available	
Boiling Point	: 100 °C (212 °F)	
Flash Point	: Not applicable	
Auto-ignition Temperature	: Not applicable	
<b>Decomposition Temperature</b>	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapor Pressure	: No data available	
Relative Vapor Density at 20°C	: No data available	
Relative Density	: No data available	
Density	: 11.7 lbs/gal	
Solubility	: Soluble in water.	
Partition Coefficient: N-Octanol/Water	: No data available	
Viscosity	: Not data available	
VOC	: 17 g/l	
9.2. Other Information No additional informat	ion available	

# SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.

- **10.2.** Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- **10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- **10.4.** Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials: Fluorine. Metal salts. Strong acids, strong bases, strong oxidizers.
- **10.6.** Hazardous Decomposition Products: None known.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## **11.1.** Information on Toxicological Effects

Acute Toxicity: Not classified

Titanium dioxide (13463-67-7)

LD50 Oral Rat

> 10000 mg/kg



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

Proprietary Ingredient #1

LD50 Oral Rat	53 mg/kg
ATE (Dermal)	300.00 mg/kg body weight
ATE (Dust/Mist)	0.50 mg/l/4h

Skin Corrosion/Irritation: Not classified

**pH:** 8 - 9.5

Serious Eye Damage/Irritation: Not classified

**pH:** 8 - 9.5

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Titanium dioxide (13463-67-7)		
IARC group 2B		
OSHA Hazard Communication Carcinogen List In OSHA Hazard Communication Carcinogen list.		

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

# SECTION 12: ECOLOGICAL INFORMATION

# 12.1. Toxicity

**Ecology - General** 

: Toxic to aquatic life with long lasting effects.

## 12.2. Persistence and Degradability

Extreme Weather Acrylic White		
Persistence and Degradability May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative Potential		
Extreme Weather Acrylic White		
Bioaccumulative Potential Not established.		

**12.4. Mobility in Soil** No additional information available

# 12.5. Other Adverse Effects

Other Information

: Avoid release to the environment.

# SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste Treatment Methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

# **SECTION 14: TRANSPORT INFORMATION**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance w	vith DOT
-----------------------	----------

Proper Shipping Name	: ENVIRONMENTA	LLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Zinc pyrithione; Zinc oxide)
Hazard Class	: 9	
Identification Number	: UN3082	



.

# **Extreme Weather Acrylic White**

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

Label Codes	: 9
Packing Group	: III
Marine Pollutant	: Marine pollutant
ERG Number	: 171
14.2. In Accordance w	vith IMDG
Proper Shipping Name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc pyrithione; Zinc oxide)
Hazard Class	: 9
Identification Number	: UN3082
Packing Group	: III
Label Codes	: 9
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Marine Pollutant	: Marine pollutant

#### 14.3. In Accordance with IATA

Proper Shipping Name	: ENVIRONMENTALLY HAZ	ARDOUS SUBSTANCE, LIQUID, N.O.S.	(Zinc pyrithione; Zinc oxide)
Packing Group	: 111		
Identification Number	: UN3082		
Hazard Class	: 9		
Label Codes	: 9	9	
ERG Code (IATA)	: 9L	Ň	

# SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations		
Extreme Weather Acrylic White		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Cont	crol Act) inventory	
Limestone (1317-65-3)		
Listed on the United States TSCA (Toxic Substances Cont	crol Act) inventory	
Titanium dioxide (13463-67-7)		
Listed on the United States TSCA (Toxic Substances Cont	crol Act) inventory	
15.2. US State Regulations		
Titanium dioxide (13463-67-7)		
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains titanium dioxide known to the State of California to cause cancer.	
Limestone (1317-65-3)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right to Know) List		
Titanium dioxide (13463-67-7)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right to Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right to Know) List		

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision
Other Information

: 08/18/2017

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200



# Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 08/18/2017 Version 1.0

#### GHS Full Text Phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Sens. 1	Skin sensitization, Category 1
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)